





















Convencional

ALUMINIO / ACERO		Alum. 5052 2.5% Mg. / SAE 1010								
		ART. Nº								
				MIN	MAX					
2.9	3.1	A29060D	6.0	0.5	3.0					
		A29080D	8.0	3.0	5.0					
		A29100D	10.0	5.0	7.0					
		A29120D	12.0	7.0	9.0					
		A29140D	14.0	9.0	11.0	0.90	6.3	1.81	70	85
		A29160D	16.0	11.0	13.0					
		A29180D	18.0	13.0	15.0					
		A29200D	20.0	15.0	17.0					
3.2	3.3	A32120D	12.0	6.5	8.5					
		A32140D	14.0	8.5	10.5					
		A32160D	16.0	10.5	12.5	0.90	6.3	1.81	75	100
		A32200D	20.0	14.5	16.5					
4.0	4.1	A40080D	8.0	1.5	3.5					
		A40100D	10.0	3.5	5.5					
		A40120D	12.0	5.5	7.5					
		A40140D	14.0	7.5	9.5	1.15	7.8	2.31	100	160
		A40160D	16.0	9.5	11.5					
		A40200D	20.0	13.5	15.5					
		A40250D	25.0	17.5	20.5					
4.8	4.9	A48080D	8.0	1.0	3.0					
		A48100D	10.0	3.0	5.0					
		A48120D	12.0	5.0	7.0					
		A48140D	14.0	7.0	9.0					
		A48160D	16.0	9.0	11.0	1.30	9.3	2.61	150	220
		A48200D	20.0	13.0	15.0					
		A48250D	25.0	17.0	20.0					
		A48300D	30.0	22.0	25.0					
A48350D	35.0	28.0	30.0							



ALUMINIO / ALUMINIO		Alum. 5052 2.5% Mg. / Alum. 5052 2.5% Mg.								
		ART. Nº								
				MIN	MAX					
3.2	3.3	H32100D	10.0	4.5	6.5					
		H32115D	12.0	6.5	8.5	0.90	6.3	2.01	65	90
		H32160D	16.0	10.5	12.5					
4.0	4.1	H40080D	8.0	1.5	3.5					
		H40120D	12.0	5.5	7.5	1.15	7.8	2.31	90	150
		H40170D	17.0	9.5	11.5					
4.8	4.9	H48100D	12.0	5.0	7.0					
		H48140D	14.0	7.0	9.0	1.3	9.3	2.91	140	210
		H48170D	17.0	9.0	11.0					



ACERO / ACERO				SAE 1010 / SAE 1010						
3.2	3.3	ART. Nº	MIN	MAX	0.90	6.3	2.01	130	175	
										6.0
		S32060D	6.0	0.5	2.5					
		S32080D	8.0	2.5	4.5					
		S32100D	10.0	4.5	6.5					
		S32120D	12.0	6.5	8.5					
		S32140D	14.0	8.5	10.5					
		S32160D	16.0	10.5	12.5					
		S40060D	6.0	1.0	1.5					
		S40080D	8.0	1.5	3.5					
4.0	4.1	S40100D	10.0	3.5	5.5	1.15	7.8	2.31	190	
		S40120D	12.0	5.5	7.5				280	
		S40140D	14.0	7.5	9.5					
		S40160D	16.0	9.5	11.5					
		S40180D	18.0	11.5	13.5					
		S40200D	20.0	13.5	15.5					
		S48080D	8.0	0.5	3.0					
		S48100D	10.0	3.0	5.0					
		S48120D	12.0	5.0	7.0					
		S48140D	14.0	7.0	9.0					
4.8	4.9	S48160D	16.0	9.0	11.0	1.3	9.3	2.91	290	
		S48180D	18.0	11.0	13.0				400	
		S48200D	20.0	13.0	15.0					
		S48220D	22.0	15.0	17.0					
		S48250D	25.0	17.0	20.0					



INOXIDABLE / INOXIDABLE				AISI 304 / AISI 304						
3.2	3.3	ART. Nº	MIN	MAX	0.90	6.35	1.90	240		
									6.0	8.0
		N32060D	6.0	1.0	2.5					
		N32080D	8.0	2.5	4.5					
		N32100D	10.0	4.5	6.5					
		N32120D	12.0	6.5	8.0					
		N40060D	6.0	1.0	1.5					
		N40080D	8.0	1.5	3.5					
4.0		N40100D	10.0	3.5	5.0	1.15	7.9	294		
		N40120D	12.0	5.0	6.3			371		
		N48080D	8.0	1.0	3.0					
		N48100D	10.0	3.0	5.0					
		N48120D	12.0	5.0	7.0					
		N48140D	14.0	7.0	8.5					
4.8		N48160D	16.0	8.5	10.0	1.3	9.5	430		
		N48200D	20.0	10	15.0			400		
		N48250D	25.0	15	20.0					
		N48300D	30.0	20	25.0					



+ información en www.fornis.com.ar